	Type	Hits	Search Text	Time Stamp	DBs
1	IS&R	3140	(707/100).CCLS.	2005/04/14 18:53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	1701	(707/101).CCLS.	2005/04/14 18:53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	3939	(707/104.1).CCLS.	2005/04/14 18:53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	1	"convex programming" and ("weighted sum" with distort$4)	2005/04/14 17:40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	22	((convex near2 programming) or "convex programming") and objective	2005/04/14 17:40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	2	"convex programming" and ("weighted sum" with distort$5)	2005/04/14 17:40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	41	((convex near2 programming) or "convex programming") and objective	2005/04/14 17:40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	8	S55 and distort$5	2005/04/14 17:40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	2	"convex programming" and heterogeneous	2005/04/14 17:32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2	((convex near2 programming) or "convex programming") and heterogeneous	2005/04/14 17:32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	"convex programming" and heterogeneous	2005/04/14 17:32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	((convex near2 programming) or "convex programming") and heterogeneouss	2005/04/14 17:32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	3	((convex near2 programming) or "convex programming") and heterogeneous	2005/04/14 17:32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	6	S48 and heterogen$8	2005/04/14 17:31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

15	BRS	1	S49 and distort$5	2005/04/14 17:31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	Time Stamp	DBs
16	BRS	31	k-means with weigh$5	2005/04/14 17:17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	16	k-means with weigh$5	2005/04/14 17:12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB